

Package: ggcolorometer (via r-universe)

August 20, 2024

Type Package

Title Colormeter Guide Extension

Version 0.2.0

Description A 'ggplot2' guide extension for fill and color scales in the style of a dashboard meter. The dashboard legend maps onto continuous aesthetics and can be customized for its dimensions and the style of its various components including the labels and frames. Fine-grained control over the positioning of dashboard components is possible via an option to expose the legend-internal coordinate system.

License MIT + file LICENSE

URL <https://github.com/yjunechoe/ggcolorometer>,
<https://github.com/yjunechoe/ggcolorometer/issues>,
<https://yjunechoe.github.io/ggcolorometer/>

BugReports <https://github.com/yjunechoe/ggcolorometer/issues>

Depends ggplot2, R (>= 4.1)

Imports grid (>= 4.1), gtable, polyclip

Suggests ggtext, scales

Encoding UTF-8

LazyData true

Roxygen list(markdown = TRUE)

RoxygenNote 7.2.3

Repository <https://yjunechoe.r-universe.dev>

RemoteUrl <https://github.com/yjunechoe/ggcolorometer>

RemoteRef HEAD

RemoteSha 9527d9b8625f48c71e6bb39bbed0c11ac9af037

Contents

guide_colorometer	2
-------------------	---

guide_colormeter	<i>A color legend in the style of a dashboard meter</i>
------------------	---

Description

A color legend in the style of a dashboard meter

Usage

```
guide_colormeter(
  title = ggplot2::waiver(),
  title.theme = NULL,
  label.theme = NULL,
  legend_size = unit(5, "lines"),
  legend_padding = unit(c(1.2, 1, 0.3, 1), "lines"),
  title_position = c(0, 0),
  arc_range = c(-4/7 * pi, 4/7 * pi),
  arc_radius = 1,
  arc_width = arc_radius/4,
  arc_gap = arc_radius/5,
  arc_rounding = 0,
  label_radius = arc_radius * 1.25,
  dashboard_radius = label_radius * 1.2,
  dashboard_color = "black",
  dashboard_fill = NA,
  dashboard_linewidth = 0.5,
  dashboard_linetype = 1,
  clip_dashboard = TRUE,
  close_dashboard = clip_dashboard,
  frame_color = NA,
  frame_linewidth = 0.5,
  frame_linetype = 1,
  aspect.ratio = 1,
  show.limits = NULL,
  debug = FALSE,
  reverse = FALSE,
  available_aes = c("colour", "color", "fill"),
  ...
)
```

Arguments

title	A character string or expression indicating a title of guide. If NULL, the title is not shown. By default (waiver()), the name of the scale object or the name specified in labs() is used for the title.
-------	---

<code>title.theme</code>	A theme object for rendering the title text. Usually the object of <code>element_text()</code> is expected. By default, the theme is specified by <code>legend.title</code> in <code>theme()</code> or <code>theme</code> .
<code>label.theme</code>	A theme object for rendering the label text. Usually the object of <code>element_text()</code> is expected. By default, the theme is specified by <code>legend.text</code> in <code>theme()</code> .
<code>legend_size</code>	Size of the legend box.
<code>legend_padding</code>	Spacing between the color meter and the legend boundary.
<code>title_position</code>	<code><legend-coords></code> 2-length vector for the x/y-position of the legend title.
<code>arc_range</code>	<code><legend-coords></code> 2-length vector for the start and end angles of the color meter.
<code>arc_radius</code>	<code><legend-coords></code> Radius of the color meter.
<code>arc_width</code>	<code><legend-coords></code> Width of the arcs in the color meter.
<code>arc_gap</code>	<code><legend-coords></code> Gap between arcs in the color meter.
<code>arc_rounding</code>	<code><legend-coords></code> Rounding of arcs in the color meter.
<code>label_radius</code>	<code><legend-coords></code> Radius of the labels.
<code>dashboard_radius</code>	<code><legend-coords></code> Radius of the dashboard background.
<code>dashboard_color</code>	Dashboard background color.
<code>dashboard_fill</code>	Dashboard background fill.
<code>dashboard_linewidth</code>	Dashboard background line width.
<code>dashboard_linetype</code>	Dashboard background line type.
<code>clip_dashboard</code>	Whether the dashboard circle should clip to the legend boundary.
<code>close_dashboard</code>	Whether the dashboard should be closed where it meets the legend boundary.
<code>frame_color</code>	Color of the frame drawn around the arcs.
<code>frame_linewidth</code>	Width of the frame drawn around the arcs.
<code>frame_linetype</code>	Line type of the frame drawn around the arcs.
<code>aspect.ratio</code>	Aspect ratio for the legend.
<code>show.limits</code>	Logical. Should the limits of the scale be shown with labels and ticks. Default is <code>NULL</code> meaning it will take the value from the scale. This argument is ignored if <code>labels</code> is given as a vector of values. If one or both of the limits is also given in <code>breaks</code> it will be shown irrespective of the value of <code>show.limits</code> .
<code>debug</code>	If <code>TRUE</code> , axes and origin for <code><legend-coords></code> are drawn over the legend for debugging.
<code>reverse</code>	logical. If <code>TRUE</code> the colourbar is reversed. By default, the highest value is on the top and the lowest value is on the bottom
<code>available_aes</code>	A vector of character strings listing the aesthetics for which a colourbar can be drawn.
<code>...</code>	Ignored.

Value

A guide object of class 'colormeter'

Examples

```
library(ggplot2)
# A standard plot
p <- ggplot(mtcars, aes(drat, hp)) +
  geom_point(aes(color = mpg))
# Colormeter guide for color scale
p +
  scale_color_viridis_c(
    option = "inferno",
    breaks = scales::breaks_pretty(10),
    guide = guide_colormeter()
)
```

Index

`element_text()`, [3](#)
`guide_colormeter`, [2](#)
`labs()`, [2](#)
`theme()`, [3](#)
`waiver()`, [2](#)